



中国认可
国际互认
检测
TESTING
CNAS L4942

Merieux NutriSciences Testing Technology (Ningbo) Co., Ltd.
C7 Building, NO. 299 Guanghua RD High-Tech Park, Ningbo
315040 China
T: + 86 574 28860788
F: + 86 574 28860799
<https://www.merieuxnutrisciences.com.cn/>



Certificate of Analysis

No.3371166



Scan to view & verify



Visit our website to verify:
<https://coa.merieuxnutrisciences.com.cn>

To : *AOGUBIO CO.,LTD*

Address : *Room 1703A, Block B, Baode Yungu International, 52 Jinye 1st Road, Xi 'an Hi-Tech Zone, Shaanxi Province 710075*

Date of Report (yyyy-mm-dd): 2026-07-30

Sample Information

The following samples were supplied by/on behalf of the client:

Date of Receipt(yyyy-mm-dd): 2026-07-24

Sample Description	Condition on Receipt	Sample ID
<i>Organic Ube Powder</i> <i>LOT:AG-2607255 AOGUBIO</i>	Sealed, Solid powder, Aluminum Foil Bag Packaged, By express	LR1918233-001

Results apply only to the samples as received. The information in italics is supplied by the client and the client takes responsibility for the authenticity. Results are only for internal use by the client and not for public display as proof. Without the written permission from the company, any party is prohibited from using the test results and the official CoA for undue publicity.

Edited By: Amy Miao Reporting Specialist

Authorised Signatory:

Linda Yang Report Audit Officer

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

Results

Start Test Date : 2026-07-25 End Test Date : 2026-07-30

No.	Analytes(Units)	Methods	LOQ/LOD	Results
Sample ID : LR1918233-001				
1	2-Phenyl-phenol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
2	Abamectin (expressed as Avermectin B1a) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
3	Acephate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
4	Acetamiprid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
5	Acetochlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
6	Alachlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
7	Aldicarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
8	Aldicarb-sulfone (Aldoxycarb) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
9	Aldicarb-sulfoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
10	Aldicarb (sum of Aldicarb, its sulfone and its sulfoxide expressed as Aldicarb) (mg/kg)	---	0.01 (LOQ)	<0.01
11	Aldrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
12	Dieldrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
13	Aldrin and Dieldrin (sum of Aldrin and dieldrin expressed as dieldrin) (mg/kg) ☆2	---	0.01 (LOQ)	<0.01
14	Allidochlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
15	Ametryn (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
16	Amitraz (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
17	Aramite (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
18	Atrazine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
19	Azinphos-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
20	Azoxystrobin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
21	Benalaxyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
22	Benazolin-ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
23	Bendiocarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
24	Benomyl & Carbendazim (expressed as Carbendazim) (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
25	Benoxacor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
26	Bensulfuron-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
27	Bensulide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
28	Bentazone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
29	Bifenthrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
30	Biphenyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
31	Bitertanol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
32	Boscalid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
33	Bromopropylate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
34	Bupirimate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
35	Buprofezin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
36	Butachlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
37	Butamifos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
38	Butralin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
39	Captan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
40	Tetrahydrophthalimide (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
41	Captan (Sum of captan and THPI, expressed as captan) (mg/kg) ☆2	---	0.01 (LOQ)	<0.01
42	Carbaryl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
43	Carbendazim (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
44	Carbofuran (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
45	Carbofuran-3-hydroxy (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
46	Carbofuran (sum of Carbofuran and Carbofuran-3-hydroxy expressed as Carbofuran) (mg/kg)	---	0.01 (LOQ)	<0.01
47	Carbosulfan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
48	Carfentrazone-ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
49	Chlorantraniliprole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
50	Chlorbenzuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
51	Chlordane (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
52	Chlorfenapyr (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
53	Chlorfenvinphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
54	Chlorfluazuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
55	Chlorothalonil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
56	Chlorpyrifos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
57	Chlorpyrifos-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
58	Chlorthal-dimethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
59	Chromafenozide (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
60	Clethodim (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
61	Clethodim-sulfone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
62	Clethodim-sulfoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
63	Clethodim (sum of Clethodim, its sulfone and its sulfoxide expressed as Clethodim) (mg/kg)	---	0.01 (LOQ)	<0.01
64	Clofentezine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
65	Cloquintocet-mexyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
66	Cloransulam-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
67	Clothianidin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
68	Coumoxystrobin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
69	Cumyluron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
70	Cyanophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
71	Cyflufenamid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
72	Cyflumetofen (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
73	Cyfluthrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
74	Cyhalothrin & lambda-Cyhalot hrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
75	Cymoxanil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
76	Cypermethrin & beta-Cyperme thrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
77	Cyproconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
78	Cyromazine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
79	DDD (o,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
80	DDE (o,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
81	DDD (p,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
82	DDE (p,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
83	DDT (o,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
84	DDT (p,p') (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
85	DDT (sum of p,p'-DDT, o,p'-DD T, p,p'-DDE and p,p'-DDD) (mg /kg)	---	0.01 (LOQ)	<0.01
86	Deltamethrin & Tralomethrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
87	Diazinon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
88	Dichlofluanid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
89	Dichlorvos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
90	Diclofop-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
91	Dicloran (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
92	Diclosulam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
93	Dicofol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
94	Diethofencarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
95	Difenoconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
96	Diflubenzuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
97	Diflufenican (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
98	Dimethametryn (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
99	Dimethoate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
100	Dimethomorph (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
101	Diniconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
102	Dinotefuran (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
103	Diofenolan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
104	Diphenylamine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
105	Dithiopyr (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
106	alpha-Endosulfan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
107	beta-Endosulfan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
108	Endosulfan sulfate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
109	Endosulfan (sum of alpha- and beta-isomers and Endosulfan sulfate) (mg/kg) ☆2	---	0.01 (LOQ)	<0.01
110	Endrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
111	EPN (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
112	Epoxiconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
113	Ethion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
114	Ethoprophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
115	Ethoxyquin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
116	Etofenprox (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
117	Famoxadone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
118	Fenamiphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
119	Fenamiphos-sulfone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
120	Fenamiphos-sulfoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
121	Fenamiphos (sum of Fenamiphos, its sulfone and its sulfoxide expressed as Fenamiphos) (mg/kg)	---	0.01 (LOQ)	<0.01
122	Fenarimol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
123	Fenazaquin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
124	Fenhexamid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
125	Fenitrothion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
126	Fenobucarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
127	Fenoxaprop-ethyl & Fenoxaprop-p-ethyl (mg/kg) ☆ 2	EN 15662:2018	0.01 (LOQ)	<0.01
128	Fenpropathrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
129	Fenthion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
130	Fentrazamide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
131	Fenvalerate & Esfenvalerate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
132	Fipronil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
133	Fipronil desulfinyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
134	Fipronil sulfide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
135	Fipronil sulfone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
136	Fipronil (sum of fipronil ,Fipronil desulfinyl,Fipronil sulfone and Fipronil sulfide expressed as fipronil) (mg/kg) ☆2	---	0.01 (LOQ)	<0.01
137	Fluazifop-butyl & Fluazifop-p-butyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
138	Flucythrinate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
139	Fludioxonil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
140	Flumetsulam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
141	Flusilazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
142	Flusulfamide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
143	Fluvalinate (tau-Fluvalinate) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
144	Fonofos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
145	Formetanate (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
146	Furametpyr (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
147	alpha-HCH (alpha-BHC) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
148	beta-HCH (beta-BHC) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
149	delta-HCH (delta-BHC) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
150	gamma-HCH (gamma-BHC or Lindane) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
151	HCH (sum of alpha-HCH, beta- HCH, gamma-HCH and delta-H CH) (mg/kg)	---	0.01 (LOQ)	<0.01
152	Heptachlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
153	Heptachlor epoxide A trans- (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
154	Heptachlor epoxide B cis- (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
155	Heptachlor (sum of Heptachlor and Heptachlor epoxide A trans- & B cis-) (mg/kg)	---	0.01 (LOQ)	<0.01
156	Heptenophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
157	Hexachlorobenzene (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
158	Hexaconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
159	Hexythiazox (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
160	Imazalil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
161	Imazamethabenz Methyl Ester (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
162	Imazethapyr (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
163	Imidacloprid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
164	Indanofan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
165	Indoxacarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
166	Iprobenfos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
167	Iprodione (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
168	Iprovalicarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
169	Isazofos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
170	Isocarbophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
171	Isofenphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
172	Isofenphos-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
173	Isoprocab (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
174	Isoprothiolane (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
175	Kresoxim-Methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
176	Lactofen (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
177	Linuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
178	Malaoxon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
179	Malathion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
180	Malathion (sum of Malathion and Malaoxon expressed as Malathion) (mg/kg) ☆2	---	0.01 (LOQ)	<0.01
181	Mefenpyr-Diethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
182	Metalaxyl & Mefenoxam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
183	Methamidophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
184	Methidathion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
185	Methomyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
186	Methoxychlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
187	Metolachlor & s-metolachlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
188	Metominostrobin (E) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
189	Metominostrobin (Z) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
190	Mevinphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
191	Mirex (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
192	Monocrotophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
193	Myclobutanil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
194	Napropamide (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
195	Nitrothal-isopropyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
196	Omethoate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
197	Oxadixyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
198	Demeton (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
199	Demeton-S-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
200	Demeton-S-methyl sulphone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
201	Demeton-S-methyl-sulfoxide (Oxydemeton-methyl) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
202	Oxydemeton-methyl (sum of Oxydemeton-methyl, Demeton-S-methyl and Demeton-S-methyl sulphone expressed as Oxydemeton-methyl) (mg/kg)	---	0.01 (LOQ)	<0.01
203	Paclobutrazol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
204	Paraoxon-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
205	Parathion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
206	Parathion-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
207	Parathion-methyl (sum of Parathion-methyl and Paraoxon-methyl expressed as Parathion-methyl) (mg/kg) ☆2	---	0.01 (LOQ)	<0.01
208	Penconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
209	Pendimethalin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
210	Pentachloroaniline (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
211	Penthiopyrad (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
212	Permethrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
213	Phenthoate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
214	Phorate (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
215	Phorate-sulfone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
216	Phorate-sulfoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
217	Phorate (sum of Phorate, its sulfone and its sulfoxide expressed as Phorate) (mg/kg)	---	0.01 (LOQ)	<0.01
218	Phosalone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
219	Phosfolan (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
220	Phosmet (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
221	Phoxim (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
222	Piperonyl Butoxide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
223	Pirimicarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
224	Pirimiphos-ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
225	Pirimiphos-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
226	Prochloraz (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
227	Procymidone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
228	Profenofos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
229	Prometryn (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
230	Propamocarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
231	Propanil (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
232	Propaquizafop (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
233	Propargite (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
234	Propham (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
235	Propiconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
236	Propoxur (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
237	Propyzamide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
238	Pyraflufen-ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
239	Pyrazophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
240	Pyrazosulfuron-ethyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
241	Pyrazoxyfen (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
242	Pyrethrin I and Pyrethrin II (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
243	Pyributicarb (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
244	Pyridaben (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
245	Pyridaphenthion (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
246	Pyrifenoxy (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
247	Pyrifthalid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
248	Pyriminobac-methyl (E) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
249	Pyriminobac-methyl (Z) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
250	Pyriproxyfen (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
251	Pyroquilon (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
252	Quinalphos (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
253	Quinoclamine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
254	Quinoxifen (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
255	Quintozone (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
256	Quizalofop-P-tefuryl (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
257	S421 (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
258	Sedaxane (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
259	Simazine (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
260	Simetryn (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
261	Spiromesifen (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
262	Sulfoxaflor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
263	Tebuconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
264	Tebufenozide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
265	Tebufenpyrad (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
266	Tecnazene (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
267	Tefluthrin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
268	Terbufos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
269	Tetrachlorvinphos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
270	Tetraconazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
271	Tetradifon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
272	Thenylchlor (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
273	Thiabendazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
274	Thiacloprid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
275	Thiamethoxam (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
276	Thiazopyr (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
277	Thidiazuron (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
278	Thifluzamide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
279	Thiophanate-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
280	Tolclofos-methyl (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
281	Tolyfluanid (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
282	Triadimenol (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
283	Triazophos (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01

This Certificate of Analysis is governed by our General Terms and Conditions for Services and Supplemental Terms and Conditions for Analytical Testing Services, which are available on our official website, or upon request. Both the electronic version and the hard copy bear the authorised signatory's signature, the authorised testing seals, and a QR Code. This document shall not be reproduced, except in full, without written approval from the company. The reproduced document is invalid unless re-sealed with the authorised testing service seals.

No.	Analytes(Units)	Methods	LOQ/LOD	Results
284	Tribuphos (DEF) (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
285	Trichlorfon (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
286	Tricyclazole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
287	Tridemorph (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
288	Triflumizole (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
289	Triflumizole-amino (mg/kg) ☆2	EN 15662:2018	0.01 (LOQ)	<0.01
290	Triflumizole (sum of Triflumizole and Triflumizole-a mino expressed as Triflumizole) (mg/kg) ☆2	---	0.01 (LOQ)	<0.01
291	Trifluralin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
292	Vinclozolin (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
293	Zoxamide (mg/kg)	EN 15662:2018	0.01 (LOQ)	<0.01
294	ε-Hexachlorocyclohexane (mg/ kg)	EN 15662:2018	0.01 (LOQ)	<0.01

☆2 - outside of CNAS accreditation.

-----End of CoA-----